



OPTIMAL LIFE-TIME, DURABILITY
AND PERFORMANCE


**AUTOMOTIVE BULB
CATALOGUE**



LIGHT UP YOUR
BUSINESS!



HELLA is a listed, internationally positioned automotive supplier operating under the umbrella brand FORVIA. Within this de facto group, HELLA stands for high-performance lighting technology and automotive electronics. At the same time, the company covers a broad service and product portfolio for the spare parts and workshop business as well as for manufacturers of special-purpose vehicles with its Lifecycle Solutions business group.



EVERYTHING WE DO REVOLVES AROUND OUR CUSTOMERS.

In order to ensure that business runs smoothly, HELLA supports wholesalers and workshops with its extensive know-how and many years of experience.

Because we realise that your day-to-day business is already complex enough as it is. As a partner to the wholesalers and as the workshop's friend, we see it quite naturally as our job to make this as simple as possible for you.

The result is that you can plan and carry out your work processes more quickly and more profitably

PARTNER TO THE WHOLESALERS

HELLA is a reliable partner to the wholesalers that flexibly responds to customer requests, makes an impression with high-quality products and maximum availability, and thereby speeds up and simplifies business-for more efficiency.

As a partner to the wholesalers, HELLA prioritises solution-oriented and reliable collaboration. We achieve this through fast and customer oriented service in all matters through highly skilled on-site contacts, whose objective is to accelerate and simplify wholesale business through maximum flexibility and speed. Our success factor is that we are close to our customers not only geographically, but also in our thinking through sales companies around the globe.

THE WORKSHOP'S FRIEND.

HELLA is the workshop's friend, combining OE expertise and technical know-how to make day-to-day business faster, more profitable and future-proof. As the workshop's friend, HELLA aims to provide our customers with optimum support for everyday workshop conditions.

Our technical expertise enables fast and solution-oriented service in all technical questions concerning our products. We treat workshops as equals because we understand them and, thanks to our proximity to the market, can also provide them with fast and competent support.




LIGHT SOURCES

H4 HALOGEN LAMP

Halogen lamps are actually thermal radiators that convert heat energy into light. The filament begins to glow when subjected to a voltage, generating light as a result.

A standard halogen lamp has an efficiency of around 8%. Approximately 92% of the energy is lost as heat radiation.



SAFETY INSTRUCTIONS

LAMP REPLACEMENT AND INSTALLATION



When inserting a new lamp, you should not touch the glass bulb, because fingerprints may burn in, leaving "clouds" on the glass.



Standard bulbs and halogen lamps do not contain environmentally damaging substances and can be disposed of as household waste.



Check your local regulations to ensure correct disposal.



HELLA recommends replacing both lamps when one has blown

TABLE OF CONTENT



04

TWO-WHEELER
VEHICLE



05-08

PASSENGER
VEHICLE



09-11

COMMERCIAL
VEHICLE



TWO-WHEELER



STANDARD

RALLYE

MINIATURE

M5 	Performance Range	
	329.393-001	
		12V
		35/35W
	BASE	Ba20D

M5 	Performance Range	
	329.393-011	
		12V
		35/35W
	BASE	Ba20D

HS1 	Performance Range	
	329.393-041	
		12V
		35/35W
	BASE	Px43T

HS1 	Performance Range	
	329.393-251	
		12V
		45/40W
	BASE	Px43T



PASSENGER VEHICLE






STANDARD




RALLYE


MINIATURE

PASSENGER VEHICLE

H4 	Performance Range	
	002.525-133	
		12V
		60/55W
	BASE	P43t


H4 	Performance Range	
	002.525-671	
		12V
		100/90W
	BASE	P43t




H4 	Performance Range	
	002.525-681	
		12V
		100/90W
	BASE	P45t




H4 	Performance Range	
	002.525-691	
		12V
		130/90W
	BASE	P43t




H4 	Performance Range	
	002.088-493	
		12V
		130/90W
	BASE	P45t




H4 	Performance Range	
	358.259-001	
		12V
		100/90W
	BASE	P43t
Gold Power Quartz Glass		

H4 	Performance Range	
	358.259-021	
		12V
		130/100W
	BASE	P43t
Gold Power Quartz Glass		

H1 	Performance Range	
	178.555-034	
		12V
		55W
	BASE	P14.5s

H1 	Performance Range	
	002.089-561	
		12V
		100W
	BASE	P14.5s

H3 	Performance Range	
	178.555-064	
		12V
		55W
	BASE	PK22s

H3 	Performance Range	
	002.090-301	
		12V
		100W
	BASE	PK22s

H7 	Performance Range	
	007.157-123	
		12V
		55W
	BASE	PX26d

H7 	Performance Range	
	007.157-361	
		12V
		100W
	BASE	PX26d



H8 	Performance Range	
	178.555-153	
		12V
		35W
	BASE	PGJ19-1

H11 	Performance Range	
	178.555-111	
		12V
		55W
	BASE	PGJ19-2

HB3 	Performance Range	
	005.635-121	
		12V
		61W
	BASE	P20d






HB3 9005 	Performance Range	
	358.155-581	
		12V
		100W
	BASE	P20d

HB4 	Performance Range	
	005.636-121	
		12V
		55W
	BASE	P22d

HB4 	Performance Range	
	358.155-591	
		12V
		100W
	BASE	P22d




H27/2 	Performance Range	
	178.560-641	
		12V
		27W
	BASE	PGJ13

H16 	Performance Range	
	211.730-881	
		12V
		19W
	BASE	PGJ19-3

P21 	Performance Range	
	178.560-011	
		12V - 1141
		21W
	BASE	BA15s




P21/5 	Performance Range	
	178.560-111	
		12V
		21/5W
	BASE	BAY15d

P21/4 	Performance Range	
	178.560-031	
		12V
		21/4 W
	BASE	BAZ15d




PY21 	Performance Range	
	006.841-121	
		12V
		21W
	BASE	BAU15s

R10 	Performance Range	
	178.560-021	
		12V
		10W
	BASE	BA15s


W5W 	Performance Range	
	178.560-081	
		12V
		5W
	BASE	Wedge Base

W16W 	Performance Range	
	008.246-001	
		12V
		16W
	BASE	Wedge Base

T4W 	Performance Range	
	002.067-121	
		12V
		4W
	BASE	BA9s

W21W 	Performance Range	
	358.155-501	
		12V
		21W
	BASE	Wedge Base

WY W21 	Performance Range	
	358.155-521	
		12V
		21W
	BASE	Wedge Base

W21/5 	Performance Range	
	358.155-511	
		12V
		21/5W
	BASE	Wedge Base






HELLA
VALUEFIT




PASSENGER VEHICLE

WY 21/5 	Performance Range	
	358.155-531	
		12V
		21/5W
	BASE	Wedge Base

H4 	Value-Fit	
	358.155-601	
		12V
		60/55W
	BASE	P43t

H4 	Value-Fit	
	358.155-611	
		12V
		100/90W
	BASE	P43t

H4 	Value-Fit	
	358.155-621	
		12V
		100/90W
	BASE	P45t

H4 	Value-Fit	
	358.155-631	
		12V
		130/100W
	BASE	P43t

H4 	Value-Fit	
	358.155-641	
		12V
		130/100W
	BASE	P45t



COMMERCIAL VEHICLE





STANDARD

RALLYE


MINIATURE





COMMERCIAL VEHICLE


	Performance Range	
	002.525-453	
	V	24V
	W	100/90W
	BASE	P43t

	Performance Range	
	002.088-453	
	V	24V
	W	100/90W
	BASE	P45t

	Performance Range	
	178.555-971	
	V	24V
	W	130/90W
	BASE	P43t

	Performance Range	
	178.555-961	
	V	24V
	W	130/90W
	BASE	P45t


	Performance Range	
	358.259-041	
	V	24V
	W	100/90W
Gold Power Quartz Glass	BASE	P43t

	Performance Range	
	358.259-061	
	V	24V
	W	130/100W
Gold Power Quartz Glass	BASE	P43t


	Performance Range	
	178.555-144	
	V	24V
	W	70W
	BASE	P14.5s


	Performance Range	
	002.089-453	
	V	24V
	W	100W
	BASE	P14.5s

	Performance Range	
	178.555-244	
	V	24V
	W	70W
	BASE	PK22s


	Performance Range	
	002.090-453	
	V	24V
	W	100W
	BASE	PK22s

	Performance Range	
	007.157-243	
	V	24V
	W	70W
	BASE	PX26d

	Performance Range	
	178.560-101	
	V	24V
	W	21W
	BASE	BA15s

	Performance Range	
	178.560-341	
	V	24V
	W	21/5W
	BASE	BAY15d

	Performance Range	
	178.560-241	
	V	24V
	W	10W
	BASE	BA15s



	Performance Range	
	178.560-271	
	V	24V
	W	5W
	BASE	Wedge Base




	Performance Range	
	002.067-241	
	V	24V
	W	4W
	BASE	BA9s







HELLA
VALUEFIT






H4 	Value-Fit	
	358.155-701	
		24V
		75/70W
	BASE	P43t

H4 	Value-Fit	
	358.155-711	
		24V
		100/90W
	BASE	P43t

H4 	Value-Fit	
	358.155-721	
		24V
		100/90W
	BASE	P45t

H4 	Value-Fit	
	358.155-731	
		24V
		130/100W
	BASE	P43t

H4 	Value-Fit	
	358.155-741	
		24V
		130/100W
	BASE	P45t

COMMERCIAL VEHICLE

OUTSHINE THE SUN





HELLA India Lighting Limited

(Independent Aftermarket)

6A, 6th Floor, Platinum Tower, 184,

Udyog Vihar, Phase - I,

Gurgaon, 122016 (Haryana)

Phone: +91 124 4658600 | www.hella.co.in

HELLA Toll Free: 1800 103 5405

 [/hella.India](https://www.facebook.com/hella.India)

 [/HELLAIndiaLightingLimited](https://www.youtube.com/HELLAIndiaLightingLimited)

 [/hella.india](https://www.instagram.com/hella.india)

 [/company/hella](https://www.linkedin.com/company/hella)

Disclaimer:

The products in the catalogue are adapted to form part of respective accessories of vehicle and "WE HAVE NO TRADE CONNECTION WITH THE RESPECTIVE BRANDS".