




LUBRICANTS CATALOGUE

**FOR ULTIMATE  
POWER AND  
SUPER RIDES  
ON THE ROAD**

---



HELLA is a listed, internationally positioned automotive supplier operating under the umbrella brand FORVIA. Within this de facto group, HELLA stands for high-performance lighting technology and automotive electronics. At the same time, the Company covers a broad service and product portfolio for the spare parts and workshop business as well as for manufacturers of special-purpose vehicles with its Lifecycle Solutions business group.



# EVERYTHING WE DO REVOLVES AROUND OUR CUSTOMERS.

In order to ensure that business runs smoothly, HELLA supports wholesalers and workshops with its extensive know-how and many years of experience. Because we realise that your day-to-day business is already complex enough as it is. As a partner to the wholesalers and as the workshop's friend, we see it quite naturally as our job to make this as simple as possible for you.

The result is that you can plan and carry out your work processes more quickly and more profitably.

## PARTNER TO THE WHOLESALERS

HELLA is a reliable partner to the wholesaler that flexibly responds to customer requests, makes an impression with high-quality products and maximum availability, and thereby speeds up and simplifies business - for more efficiency.

As a partner to the wholesalers, HELLA prioritises solution-oriented and reliable collaboration.

We achieve this through fast and customer oriented service in all matters through highly skilled on-site contacts, whose objective is to accelerate and simplify wholesale business through maximum flexibility and speed.

Our success factor is that we are close to our customers - not only geographically, but also in our thinking - through sales companies around the globe.

## THE WORKSHOP'S FRIEND.

HELLA is the workshop's friend, combining OE expertise and technical know-how to make day-to-day business faster, more profitable and future-proof.

As the workshop's friend, HELLA aims to provide our customers with optimum support for everyday workshop conditions.

Our technical expertise enables fast and solution-oriented service in all technical questions concerning our products. We treat workshops as equals because we understand them and, thanks to our proximity to the market, can also provide them with fast and competent support.





# OUR ENGINE OIL

## MAXIMUM PERFORMANCE

**Engineered for Today's City and Highway Drive**  
HELLA Performance range are advance synthetic motor oil formulated to keep engine running like new. Suitable for cars, vans and light commercial vehicle. These high-performance engine oils are uniquely designed to help provide outstanding performance in both city and highway drive.



- **Advanced Synthetic Formula**  
Formulated for newer vehicle emission control system
- **Excellent Low-temperature Capabilities**  
Enable quick cold weather smooth engine starting. Reduce engine noise and protecting engine life.
- **Precise Performance**  
High shear & oxidation stability for prolonged service life as well as prompt acceleration performance
- **Exceptional Engine Protection**  
Outstanding anti-contamination nature keeps the engine clean and protected even after long operation.

## FUEL EFFICIENCY

**Designed to Help Deliver Enhanced Fuel Efficiency**  
The well balance between our high-performance base oil, fortified with a precisely balanced component additive keep the engine running like new. Combining both advance formulation and low viscosity will increase engine efficiency and improve fuel economy.



- **Low Viscosity Advanced Premium Formulation**  
Support quick cold-weather starting help extend the engine life and the amount of fuel usage.
- **Excellent Fluidity**  
Lubricated all moving parts in the engine right from start-up. Formulated specifically to reduce engine friction, thus improving energy efficiency and protecting even the most vulnerable engine parts.
- **Large Field of Applications**  
Using high quality base oils and careful selection of additives allows larger field of application.

## ADVANCED DURABILITY

**Advance Formula to Prolong Engine Life**  
Made with a high-performance component to help reduce leaks and provide better high temperature protection. If the engine contains excessive sludge deposits, HELLA durability range will help reduce the sludge prolong the life and maintain the efficiency of emission systems in both diesel and gasoline.



- **Powerful Active Cleaning Agents**  
Powerful dispersant property helps prevent sludge and deposits to keep engine clean.
- **Outstanding Thermal and Oxidative Stability**  
Supplemented with an additional anti-oxidant, resists oil breakdown delivering outstanding long service life and protection



# 2WHEELER LUBRICANTS



Make the Ride Smoother  
with HELLA Lubricants



## SAFE GUARD 10W-30

### PREMIUM

Performance Level: API SL JASO MA2

#### FEATURES & BENEFITS:

- High Engine Durability
- High Fuel Efficiency
- Low Oil Consumption
- Lower Maintenance Cost
- Longer Oil and Engine Life



## SAFE GUARD 20W-40

### PREMIUM

Performance Level: API SL JASO MA2

#### FEATURES & BENEFITS:

- High Engine Durability
- High Fuel Efficiency
- Low Oil Consumption
- Lower Maintenance Cost
- Longer Oil and Engine Life



S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	COUPON AMOUNT
1	358.128-501 (with spout cap)	0.8	20	-
2	358.059-921	0.8	20	-
3	358.059-891	0.9	20	-
4	358.059-901	1	20	-
5	358.133-241	1.2	12	-
6	358.059-911	50	1	-

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.059-931	0.9	20	-
2	358.059-941	1	20	-
3	358.059-871	50	1	-
4	358.059-881	210	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**



## FRESH POWER 15W-50

### SEMI SYNTHETIC

Performance Level:  
API SN JASO MA2

#### FEATURES & BENEFITS:

- Maximum power output
- Excellent friction control for smooth gear shift
- Excellent wear & oxidation protection
- Smooth ride
- Unique film protection even at higher operating temperatures.



## MOTO SPEED 5W-30

### FULLY SYNTHETIC OIL

#### FEATURES & BENEFITS:

- Excellent all-weather performance due to improved cold weather properties.
- Improved control of oil consumption.
- High engine cleanliness
- Enhances fuel efficiency



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.097-111	2.5	6	50.00

S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	COUPON AMOUNT
1	358.205-001	0.6	20	-



INCREASE IN PERFORMANCE



CLEANER ENGINE



EXTENDED OIL CHANGE INTERVALS



WEAR AND TEAR PROTECTION



BETTER FUEL ECONOMY

## MOTO SPARK 10W-30

### FULLY SYNTHETIC OIL

#### FEATURES & BENEFITS:

- Excellent all-weather performance due to improved cold weather properties.
- Improved control of oil consumption.
- High engine cleanliness
- Enhances fuel efficiency



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.133-141	0.9	20	-
2	358.133-151	1	20	-
3	358.133-081	50	6	-

## MOTO SPRINT 10W-40

### FULLY SYNTHETIC OIL

#### FEATURES & BENEFITS:

- Increased Component Life.
- Excellent control on soot induced oil thickening.
- Longer oil drain interval.
- Excellent cold temperature properties .
- Excellent sludge control.



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.133-161	1	20	-
2	358.133-091	50	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**



## MOTO PANTHER 20W-40

### FULLY SYNTHETIC OIL

#### FEATURES & BENEFITS:

- Excellent all-weather performance due to improved cold weather properties.
- Improved control of oil consumption.
- High engine cleanliness
- Enhances fuel efficiency



## MOTO THUNDER 20W-50

### FULLY SYNTHETIC OIL

#### FEATURES & BENEFITS:

- Excellent all-weather performance due to improved cold weather properties.
- Improved control of oil consumption.
- High engine cleanliness
- Enhances fuel efficiency



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.133-171	0.9	20	-
2	358.133-181	1	20	-
3	358.133-071	50	1	-

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.133-021	1	20	-
2	358.133-031	1.2	12	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

## FRONT FORK OIL

### FEATURES & BENEFITS:

- Suspension system cleanliness - Keeps the suspension system clean and protects against foaming.
- Wear protection - Strong oil film protects the suspension system against wear, oxidation, corrosion and foaming
- Breakdown resistance - Shear stable viscosity improves help resist oil film breakdown.
- Year round use - Suitable the whole year round and day-to-day riding.



S. NO.	PART NO.	PACK SIZE IN ML	STD PACKING	COUPON AMOUNT
1	358.128-951	175 ml	40	-
2	358.128-961	350 ml	40	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**



# PASSENGER CAR LUBRICANTS



Make the Ride Smoother  
with HELLA Lubricants

## COOL MAKER 5W-30

### FULLY SYNTHETIC OIL

#### Performance Level:

API SN/CF, ACEA A3/B4, ILSAC GF-5, PORSCHE A40,  
MB 229.5, VW 502.00/505.00

#### FEATURES & BENEFITS:

- Increased Fuel Economy
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Protects from Rust & corrosion
- Excellent cold flow properties



## COOL MAKER 5W- 30

### ULTRA FULLY SYNTHETIC OIL

#### Performance Level:

API SN/CF, ACEA A3/B4, ILSAC GF-5, PORSCHE A40,  
MB 229.5, VW 502.00/505.00

#### FEATURES & BENEFITS:

- Thermal & Oxidation Stability Reduces formation of sludge & varnish deposits
- Improves oil film strength and breakdown resistance
- Lowers oil vaporization and oil consumption at Extreme conditions
- Easy cold flow characteristics



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-201	1	20	20.00
2	358.128-211	3	6	50.00
3	358.128-221	3.5	6	50.00
4	358.097-101	4	4	50.00
5	358.128-231	50	1	-
6	358.128-241	210	1	-

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.133-531	3.5	6	200
2	358.133-521	7	1	300



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**



## COOL MAKER 5W-40

### FULLY SYNTHETIC OIL

#### Performance Level:

API SN/CF, ACEA A3/B4, ILSAC GF-5, PORSCHE A40,  
MB 229.5, VW 502.00/505.00

#### FEATURES & BENEFITS:

- Increased Fuel Economy
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Protects from Rust & corrosion
- Excellent cold flow properties



## COOL MAKER 10W-30

### FULLY SYNTHETIC OIL

#### Performance Level:

API SN/CF, ACEA A3/B4, ILSAC GF-5, PORSCHE A40,  
MB 229.5, VW 502.00/505.00

#### FEATURES & BENEFITS:

- Increased Fuel Economy
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Protects from Rust & corrosion
- Excellent cold flow properties



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.097-001	1	20	20.00
2	358.097-011	3.5	6	250.00
3	358.097-021	4	4	250.00
4	358.097-031	50	1	-
5	358.097-041	210	1	-

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-301	1	20	20.00
2	358.128-311	3	6	150.00
3	358.128-321	3.5	6	200.00
4	358.128-351	50	1	-
5	358.097-091	210	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

## SAFE GUARD 15W-40

### PREMIUM & PREMIUM PRO

Performance Level:  
CF-4

#### FEATURES & BENEFITS:

- Excellent anti oxidation properties
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Lower operating cost Reducing maintenance cost
- Minimizes deposit formation



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-521	0.5	20	-
2	358.059-791	1	20	-
3	358.059-811	3	6	-
4	358.059-821	5	4	-
5	358.128-491	7	2	-
6	358.128-711	50	1	-
7	358.133-541	210	1	-
<b>PRO</b> 8	358.128-511	3	6	20.00

## SAFE GUARD 15W-40

### PREMIUM & PREMIUM PRO

Performance Level:  
CI4+/SL

#### FEATURES & BENEFITS:

- Excellent anti oxidation properties
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Lower operating cost Reducing maintenance cost
- Minimizes deposit formation



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-101	1	20	-
2	358.128-381	6	2	-
3	358.128-151	50	1	-
4	358.128-161	210	1	-
<b>PRO</b> 5	358.128-391	7	2	50.00
6	358.128-111	7.5	2	50.00



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**



## SAFE GUARD 20W-50

### PREMIUM

Performance Level: API SL/CF in Gasoline service/ILSAC CF-3/IS13656-2002(E-PI4/E-DL3)

#### FEATURES & BENEFITS:

- Superior wear protection
- Superior deposit control
- Extended component life
- Lower oil consumption
- Better fuel Economy
- Catalytic Convertor Compatible



## FRESH POWER 5W-30

### SEMI SYNTHETIC

Performance Level: SL/CF

#### FEATURES & BENEFITS:

- Maximum power output
- Excellent friction control for smooth gear shift
- Excellent wear & oxidation protection
- Smooth ride
- Unique film protection even at higher operating temperatures.



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.059-741	1	20	-
2	358.059-751	3	6	-
3	358.059-761	3.5	6	-

S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	COUPON AMOUNT
1	358.205-061	4.5	1	-
2	358.097-081	210	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

## STEERING OIL

### ATF TQ

**Performance Level:**  
Type A Suffix A (TASA)

#### FEATURES & BENEFITS:

- Provides good anti-wear protection to critical parts
- Good foam control leads to smooth gear shifting
- Compatible with all common seal materials
- Good oxidation and thermal stability reduces deposit formation
- Extremely high Viscosity Index ensures adequate lubrication in both high operating & low starting temperatures



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-791	0.5	20	-
2	358.128-901	1	20	-
3	358.097-733	5	4	-

## CAR TREATMENT RANGE

Engine Flush Plus 250 ml

Engine Oil Treatment Plus 250 ml

Diesel Injector Cleaner Plus 200 ml

Petrol Injector Cleaner Plus 200 ml



S. NO.	PART NO.	PACK SIZE IN ML	STD PACKING	COUPON AMOUNT
1	358.205-411 (Injector Cleaner-Petrol)	200	60	-
2	358.205-431 (Injector Cleaner-Diesel)	200	60	-
3	358.205-211 (Engine Flush)	250	60	-
4	358.205-311 (Oil Treatment)	250	60	-
5	358.003-101 (Screen wash)	50	10	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**



## GEAR OIL

Performance Level: GL-4

### FEATURES & BENEFITS:

- Easy Starting
- Reduces Fuel Consumption
- Reduces Maintenance Cost
- Extends Engine Life
- Resists Oil Thickening
- Prevent Carbon Built-up in Engines
- Protects from Rust & Corrosion



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
<b>75W-90</b>				
1	358.128-931	1	20	-
2	358.128-941	2.5	6	100.00
3	358.133-641	2.5	6	-

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
<b>EP-80W-90</b>				
1	358.128-801	1	20	-
2	358.128-811	2.5	6	-
3	358.128-911	5	4	-
4	358.133-571	7	2	-
5	358.128-921	210	1	-

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
<b>EP-90</b>				
1	358.128-361	0.5	20	-
2	358.128-851	1	20	-
3	358.128-871	5	4	-
4	358.128-881	26	1	-
5	358.128-891	210	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

COMMERCIAL Vehicle  
**LUBRICANTS**

Drive on highways smoothly with  
HELLA Lubricants





## SAFE GUARD 15W-40

### PREMIUM

Performance Level: CF-4

#### FEATURES & BENEFITS:

- Excellent anti oxidation properties
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Lower operating cost Reducing maintenance cost
- Minimizes deposit formation



## SAFE GUARD 15W-40

### PREMIUM

Performance Level: CI4+/SL

#### FEATURES & BENEFITS:

- Excellent anti oxidation properties
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Lower operating cost Reducing maintenance cost
- Minimizes deposit formation



S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	COUPON AMOUNT
1	358.059-791	1	20	-
2	358.128-861	10	1	-
3	358.128-701	15	1	-
4	358.128-711	50	1	-
5	358.133-541	210	1	-

S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	COUPON AMOUNT
1	358.128-101	1	20	-
2	358.128-121	10	1	100.00
3	358.128-131	15	1	150.00
4	358.128-151	50	1	-
5	358.128-161	210	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

## GEAR OIL

Performance Level: GL-4

### FEATURES & BENEFITS:

- Easy Starting
- Reduces Fuel Consumption
- Reduces Maintenance Cost
- Extends Engine Life
- Resists Oil Thickening
- Prevent Carbon Built-up in Engines
- Protects from Rust & Corrosion



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
<b>EP-80W-90</b>				
1	358.128-801	1	20	-
2	358.133-571	7	2	-
3	358.128-921	210	1	-

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
<b>EP-140</b>				
1	358.133-551	1	20	-
2	358.133-561	5	4	-

<b>85W-140</b>				
1	358.133-581	1	20	-
2	358.133-481	5	4	-
2	358.133-591	12	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**



# AGRICULTURE LUBRICANTS



Work Harder with  
HELLA Lubricants





## SAFE GUARD 15W-40

### PREMIUM

Performance Level: CF-4

#### FEATURES & BENEFITS:

- Excellent anti oxidation properties
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Lower operating cost Reducing maintenance cost
- Minimizes deposit f



S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	COUPON AMOUNT
1	358.128-371	7.5	2	-

Performance Level: CI4+/SL

#### FEATURES & BENEFITS:

- Excellent anti oxidation properties
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Lower operating cost Reducing maintenance cost
- Minimizes deposit formation



S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	COUPON AMOUNT
1	358.128-221	8.5	1	75.00

## SAFE GUARD 20W-40

### PREMIUM

Performance Level: CF-4

#### FEATURES & BENEFITS:

- Easy Starting
- Reduces Fuel Consumption
- Reduces Maintenance Cost
- Extends Engine Life
- Resists Oil Thickening
- Prevent Carbon Built-up in Engines
- Protects from Rust & Corrosion



S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	COUPON AMOUNT
1	358.128-401	1	20	-
2	358.133-231	3.5	6	-
3	358.128-411	7.5	2	-
4	358.128-421	10	1	-
PSO 5	358.128-451	3.5	6	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**



## GEAR OIL

Performance Level: GL-4

### FEATURES & BENEFITS:

- Easy Starting
- Reduces Fuel Consumption
- Reduces Maintenance Cost
- Extends Engine Life
- Resists Oil Thickening
- Prevent Carbon Built-up in Engines
- Protects from Rust & Corrosi



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-881	26	1	-

## UTTO

### UNIVERSAL TRACTOR TRANSMISSION OIL

### FEATURES & BENEFITS:

- Provides superior friction durability and optimizes clutch performance.
- Superior pump wear protection.
- Excellent final drive performance.
- Excellent cleanliness.
- Provides noise free wet brake performance.
- Proven field performance.



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.133-201	5	4	-
2	358.133-211	20	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

Universal Products

# LUBRICANTS

Make every drive a pleasure with  
HELLA Lubricants





## BRAKE & CLUTCH FLUID

### DOT 3 & DOT 4



#### FEATURES & BENEFITS:

- Maximizes equipment life by resisting gear wear and scuffing
- Long service life by resisting oxidation and oil thickening
- Protection against corrosion of ferrous and non-ferrous components
- Prevents loss of lubricant from foaming

S. NO.	PART NO.	PACK SIZE	STD PACKING	COLOUR
<b>DOT 3</b>				
1	358.133-401	100 ml	80	RED
2	358.133-411	250 ml	40	RED
3	358.133-421	500 ml	20	RED
<b>DOT 4</b>				
4	358.133-431	100 ml	80	PALE YELLOW
4	358.133-441	250 ml	40	PALE YELLOW
5	358.133-451	500 ml	20	PALE YELLOW

## MULTI PURPOSE

### GREASES -AP3

#### LITHIUM COMPLEX AP-3

#### FEATURES & BENEFITS:

- High Engine Durability
- Better Mileage
- Cleaner Engine Components
- Low Oil Consumption
- Longer Oil Drain Interval



S. NO.	PART NO.	PACK SIZE IN KG	STD PACKING	COUPON AMOUNT
1	358.128-601	0.1	60	-
2	358.128-611	0.2	60	-
3	358.128-621	0.5	24	-
4	358.128-631	1	12	-
5	358.128-641	3	4	-
6	358.128-651	5	1	50.00
7	358.128-661	7	1	70.00
8	358.128-671	18	1	150.00
9	358.128-681	180	1	-



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

## LONG LIFE RED

### GEL GREASES

#### FEATURES & BENEFITS:

- High drop point with good thermal and structural stability
- Excellent protection against rusting
- Excellent corrosion inhibition property
- Excellent temperature reversibility
- Resists water



S. NO.	PART NO.	PACK SIZE IN KG	STD PACKING	COUPON AMOUNT
1	358.128-721	0.5	24	-
2	358.128-731	1	12	20.00
3	358.133-661	2	6	40.00
4	358.128-741	3	4	60.00
5	358.128-751	5	4	100.00
6	358.128-761	7	1	150.00
7	358.128-691	10	1	200.00
8	358.128-771	18	1	350.00
9	358.128-781	180	1	-

Disclaimer: All images used are for reference only. actual pro



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

duct may differ.



## RADIATOR COOLANT

### FEATURES & BENEFITS:

- Excellent wear protection
- Protects from Rust & corrosion
- Excellent cold flow properties
- Increased Fuel Economy
- Extended oil drain interval
- Extends engine rebuild life



### GLYCOL BASED COOLANTS

S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	TYPE	COLOUR
1	329.394-031	1	20	RTU	GREEN
2	329.394-011	1	20	1:3 Conc	BLUE
3	329.394-021	1	20	1:3 Conc	RED
4	329.394-001	1	20	1:3 Conc	GREEN
5	329.394-041	3	8	1:3 Conc	GREEN
6	329.394-061	5	4	1:3 Conc	GREEN
7	329.394-081	205	1	1:3 Conc	GREEN
8	329.394-101	1	20	1:7 Conc	GREEN

### OAT BASED COOLANT

S. NO.	PART NO.	PACK SIZE IN LITERS	STD PACKING	TYPE	COLOUR
1	358.003-431	0.5	20	1:3 Conc	Blue
2	358.003-631	1	20	1:3 Conc	Blue
3	358.003-442	3	6	1:3 Conc	Blue
4	358.003-311	5	4	1:3 Conc	Blue
5	358.003-701	210	1	1:3 Conc	Blue
6	358.003-301	1	20	RTU	Green
7	358.003-601	0.5	20	1:3 Conc	Green
8	358.003-611	1	20	1:3 Conc	Green
9	358.003-641	3	6	1:3 Conc	Green
10	358.003-661	5	4	1:3 Conc	Green
11	358.003-671	20	1	1:3 Conc	Green
12	358.003-484	210	1	1:3 Conc	Green
13	358.003-651	1	20	1:3 Conc (Taxi Spl)	Green
14	358.003-451	0.5	20	1:7 Conc	Green
15	358.003-461	1	20	1:7 Conc	Green
16	358.003-472	3	6	1:7 Conc	Green
17	358.003-401	0.5	20	1:3 Conc	Red
18	358.003-621	1	20	1:3 Conc	Red
19	358.003-412	3	6	1:3 Conc	Red
20	358.003-423	5	4	1:3 Conc	Red
21	358.003-691	210	1	1:3 Conc	Red
22	358.003-681	1	20	1:3 Conc	Yellow
23	358.003-391	1	20	1:3 Conc	Pink
24	358.003-381	1	20	1:3 Conc	Purple



**INCREASE IN PERFORMANCE**



**CLEANER ENGINE**



**EXTENDED OIL CHANGE INTERVALS**



**WEAR AND TEAR PROTECTION**



**BETTER FUEL ECONOMY**

# RECOMMENDED CAR ENGINE OIL



MARUTI		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
MARUTI 800	2.7	SAFE GUARD 20W-50/ SAFE GUARD 15W-40
ZEN	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ZEN ESTILO	3.7	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ALTO 800	2.7	SAFE GUARD 15W-40/ COOL MAKER 5W-30
A STAR	2.9	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ALTO K-10	2.9	SAFE GUARD 15W-40/ COOL MAKER 5W-30
WAGON R	2.9	SAFE GUARD 15W-40/ COOL MAKER 5W-30
RITZ	3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30
SWIFT	3.1-3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ESTEEM	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
BALENO	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30
SWIFT DZIRE PETROL	3.1-3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30
SWIFT DZIRE DIESEL	3.1-3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30
SX4 PETROL	4.3	COOL MAKER 5W-30/ COOL MAKER 5W-40
SX4 DIESEL	3.5	COOL MAKER 5W-30/ COOL MAKER 5W-40
KIZASHI	3.1	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GYPSY KING	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GRAND VITARA XL7	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
GRAND VITARA 420	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
GRAND VITARA 424	4.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40
ERTIGA PETROL	3.1	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ERTIGA DIESEL	3.1	SAFE GUARD 15W-40/ COOL MAKER 5W-30
OMNI	2.7	SAFE GUARD 15W-40/ COOL MAKER 5W-30
EECO	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30
S-CROSS PETROL	3.1	COOL MAKER 5W-30/ COOL MAKER 5W-40
S-CROSS DIESEL	5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
VERSA	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30

MAHINDRA		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
XYLO (MEAGLE)	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
XYLO (MDI CDRE)	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
SCORPIO (VIX/VIS/SLE /LX-MHAWK)	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
SCORPIO VIX/VIS AUTOMATIC (MHAWK)	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40

MAHINDRA		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
SCORPIO CRDE SIX/SLE /LX/GETAWAY	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
SCORPIO M2DI	7	SAFE GUARD 15W-40/ COOL MAKER 5W-40
BOLERO VLX	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
COMMANDER 650 DI	7	SAFE GUARD 15W-40
BOLERO (SIX/SLE/ LX/CAMPER)	7	SAFE GUARD 15W-40
CL550	7	SAFE GUARD 15W-40
MAXX PICKUP	7	SAFE GUARD 15W-40
BOLERO PICKUP	7	SAFE GUARD 15W-40
BOLERO PICKUP CNG	7	SAFE GUARD 15W-40
MAXX MAXITRUCK	7	SAFE GUARD 15W-40
MAXX MAXITRUCK CNG	7	SAFE GUARD 15W-40

FORD		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
FIGO PETROL	4.1	SAFE GUARD 15W-40/ COOL MAKER 10W-40
FIGO DIESEL	3.9	SAFE GUARD 15W-40/ COOL MAKER 10W-40
FIESTA PETROL	4.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40
FIESTA DIESEL	4	SAFE GUARD 15W-40/ COOL MAKER 10W-40
IKON PETROL ENDURA	3.8	COOL MAKER 10W-40/ COOL MAKER 5W-40
IKON PETROL ROCAN	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
IKON DIESEL ROCAN	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
FUSION PETROL	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
FUSION DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
ECOSPORT PETROL	4.3	COOL MAKER 10W-40/ COOL MAKER 5W-40
ECOSPORT DIESEL	4.2	SAFE GUARD 15W-40/ COOL MAKER 10W-40
ENDEAVOUR	6.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40

VOLVO		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
S80	5	COOL MAKER 5W-40
XC60	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
XC90	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40



# RECOMMENDED CAR ENGINE OIL



TOYOTA		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
COROLLA	4	COOL MAKER 5W-40
CAMRY (ACV 30)	4	COOL MAKER 5W-40
CAMRY (ACV 40)	4.2	COOL MAKER 5W-40
QUALIS PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30
QUALIS DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INNOVA PETROL	6	COOL MAKER 5W-30/ COOL MAKER 5W-40
INNOVA DIESEL	6.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40
PRIUS	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-40
FORTUNER	7	SAFE GUARD 15W-40/ COOL MAKER 5W-40
LAND CRUISER	9	SAFE GUARD 15W-40/ COOL MAKER 5W-40
PRADO	6.9	SAFE GUARD 15W-40/ COOL MAKER 5W-40

MERCEDES BENZ		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
SLK ROADSTER	6.5	COOL MAKER 5W-40
R CLASS	8	COOL MAKER 5W-40
GL CLASS	8.5	COOL MAKER 5W-40
LS	6.5	COOL MAKER 5W-40
C CLASS	5	COOL MAKER 5W-40
E CLASS	5	COOL MAKER 5W-40
A CLASS	5	COOL MAKER 5W-40
B CLASS	5	COOL MAKER 5W-40

FIAT		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
PALIO PETROL	2.7	SAFE GUARD 15W-40/ COOL MAKER 10W-40
PALIO DIESEL	3.2	SAFE GUARD 15W-40/ COOL MAKER 10W-40
LINEA PETROL	3	SAFE GUARD 15W-40/ COOL MAKER 10W-40
LINEA DIESEL	3.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40
GRANDE PUNTO (P)	2.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
GRANDE PUNTO (D)	3	SAFE GUARD 15W-40/ COOL MAKER 10W-40

BMW		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
3 SERIES	5.2	COOL MAKER 5W-40
X3	5.2	COOL MAKER 5W-40
5 SERIES	6.5	COOL MAKER 5W-40
8 D	7.7	COOL MAKER 5W-40
6 SERIES	7.7	COOL MAKER 5W-40
X6	7.2	COOL MAKER 5W-40
7 SERIES	7.2	COOL MAKER 5W-40
M SERIES	9	COOL MAKER 5W-40

SKODA		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
FABIA PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40
FABIA DIESEL	4.3	SAFE GUARD 15W-40/ COOL MAKER 5W-40
OCTAVIA	4.5	COOL MAKER 5W-40
SUPERB	4	COOL MAKER 5W-40
RAPID PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40
RAPID DIESEL	4.3	SAFE GUARD 15W-40/ COOL MAKER 5W-40
LAURA	4.3	COOL MAKER 5W-40

HONDA		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
BRIO	3	SAFE GUARD 15W-40/ COOL MAKER 10W-40
CITY PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40
CITY DIESEL	4	COOL MAKER 5W-40
CIVIC	4.5	COOL MAKER 5W-40
ACCORD	4.5	COOL MAKER 5W-40
AMAZE PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40
AMAZE DIESEL	3.6	SAFE GUARD 15W-40/ COOL MAKER 10W-40
JAZZ PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40
JAZZ DIESEL	4	SAFE GUARD 15W-40/ COOL MAKER 10W-40
WR-V PETROL	3.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
WR-V DIESEL	4.2	SAFE GUARD 15W-40/ COOL MAKER 10W-40
BR-V PETROL	3.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
BR-V DIESEL	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-40
CR-V	3.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40

\*The lubricant recommended is indicative only, for exact specification please refer to vehicle manufacturers service manual.

# RECOMMENDED CAR ENGINE OIL



HYUNDAI		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
SANTRO	3.1	SAFE GUARD 15W-40
I10	3.1	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GETZ	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GETZ NEW	3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
EON (0.8 L)	2.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
EON (1 L)	3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GRAND I10	3.6	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GRAND I10 LPG	3.6	SAFE GUARD 15W-40/ COOL MAKER 5W-30
I20 (1.2 L)	3.6	SAFE GUARD 15W-40/ COOL MAKER 5W-30
I20 (1.4 L)	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ACCENT PETROL	3.3	COOL MAKER 5W-30/ COOL MAKER 5W-40
ACCENT DIESEL	5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
VERNA PETROL	3.3	COOL MAKER 5W-30/ COOL MAKER 5W-40
VERNA DIESEL	5.3	SAFE GUARD 15W-40/ COOL MAKER 5W-40
ELANTRA PETROL	3.9	COOL MAKER 5W-30/ COOL MAKER 5W-40
ELANTRA DIESEL	5.9	SAFE GUARD 15W-40/ COOL MAKER 5W-40
SONATA PETROL	4.3	COOL MAKER 5W-30/ COOL MAKER 5W-40
SONATA DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
TUCSON CRDI	5.9	SAFE GUARD 15W-40/ COOL MAKER 5W-40
TERRACAN	7.1	SAFE GUARD 15W-40/ COOL MAKER 5W-40
SANTA FE	7.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40

RENAULT		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
PULSE PETROL	3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30
PULSE DIESEL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30
SCALA PETROL	3	COOL MAKER 5W-30/ COOL MAKER 5W-40
SCALA DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
LOGAN PETROL	3.3	COOL MAKER 5W-30/ COOL MAKER 5W-40
LOGAN DIESEL	4.1	SAFE GUARD 15W-40/ COOL MAKER 5W-40
FLUENCE PETROL	3.5	COOL MAKER 5W-30/ COOL MAKER 5W-40
FLUENCE DIESEL	5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
KOLEOS DIESEL	8	SAFE GUARD 15W-40/ COOL MAKER 5W-40
DUSTER PETROL	4.5	COOL MAKER 5W-30/ COOL MAKER 5W-40
DUSTER DIESEL	4.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40
KWID (0.8L)	2.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
KWID (1 L)	3	SAFE GUARD 15W-40/ COOL MAKER 5W-30

TATA		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
NANO	2.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
TIAGO PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30
TIAGO DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDICA PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDICA DIESEL	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDICA VISTA PETROL	3.6	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDICA VISTA QUADRAJET (D)	3.7	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDICA VISTA DIESEL TDI	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDIGO PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDIGO DIESEL	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDIGO DICOR DIESEL	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
MANZA PETROL	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
MANZA DIESEL	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ZEST PETROL	4	COOL MAKER 5W-30
ZEST DIESEL	3.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
SAFARI DICOR	7.5	SAFE GUARD 15W-40
SAFARI DIESEL (OLD)	7.5	SAFE GUARD 15W-40
ESTATE	6.7	SAFE GUARD 15W-40
SUMO GRANDE	7.5	SAFE GUARD 15W-40
SUMO DIESEL	6.8	SAFE GUARD 15W-40
SUMO TURBO	7.7	SAFE GUARD 15W-40
HEXA	7.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
ARIA	7.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
XENON	7.7	SAFE GUARD 15W-40/ COOL MAKER 5W-40

FORCE MOTORS		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
TRAX GURKHA 4WD DIESEL	7	SAFE GUARD 15W-40
TRAX CRUISER DIESEL	6.5	SAFE GUARD 15W-40
TRAVELLER DIESEL	7.5	SAFE GUARD 15W-40
GAMA DIESEL	6.5	SAFE GUARD 15W-40
FORCE ONE SUV (CRDI)	6.5	SAFE GUARD 15W-40
FORCE ONE SUV (BS III)	7.5	SAFE GUARD 15W-40



# RECOMMENDED CAR ENGINE OIL



## CHEVROLET

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
UVA/AVEO PETROL	3.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40
UVA/AVEO DIESEL	3.7	SAFE GUARD 15W-40/ COOL MAKER 10W-40
SPARK PETROL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
SPARK DIESEL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
BEAT PETROL	3.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40
BEAT DIESEL	3.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40
ASTRA/CORSA PETROL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
OPTRA MAGNA 1.8 PETROL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
OPTRA MAGNA 1.6 DIESEL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
OPTRA 1.8 PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 10W-40
OPTRA 1.8 DIESEL	7	SAFE GUARD 15W-40/ COOL MAKER 10W-40
CRUZE PETROL	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
CRUZE DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
CAPTIVA	6.2	COOL MAKER 5W-40
SRV	3.8	COOL MAKER 5W-40
TAVERA	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40

## AUDI

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
A4 (OLD)	4.5	COOL MAKER 5W-40
A4 (NEW)	5	COOL MAKER 5W-40
TT	4.5	COOL MAKER 5W-40
A6	6.5	COOL MAKER 5W-40
A8	8.5	COOL MAKER 5W-40
R8	8.5	COOL MAKER 5W-40
Q7	9.5	COOL MAKER 5W-40

## PORSCHE

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
BOXSTER	7	COOL MAKER 5W-40
CAYENNE	7	COOL MAKER 5W-40
PANAMERA	7	COOL MAKER 5W-40
CARRERA	7	COOL MAKER 5W-40
V6	7	COOL MAKER 5W-40
V8	8.5	COOL MAKER 5W-40

## NISSAN

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
MICRA PETROL	3	SAFE GUARD 15W-40/ COOL MAKER 10W-40
MICRA DIESEL	4	SAFE GUARD 15W-40/ COOL MAKER 10W-40
SUNNY PETROL	3.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
SUNNY DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
EVALIA	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
TERRANO PETROL	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
TERRANO DIESEL	7.2	SAFE GUARD 15W-40/ COOL MAKER 5W-40
X-TRAIL	5.2-7.4	SAFE GUARD 15W-40/ COOL MAKER 5W-40
TEANA	4.0-8.9	COOL MAKER 5W-40

## VOLKSWAGEN

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
POLO	3.7	COOL MAKER 10W-40/ COOL MAKER 5W-40
BEETLE	4.5	COOL MAKER 5W-40
VENTO	3.7	COOL MAKER 5W-40
JEETA	4.5	COOL MAKER 5W-40
PASSAT	4.5	COOL MAKER 5W-40
PHAETON	7.5	COOL MAKER 5W-40
TOUAREG	7.5	COOL MAKER 5W-40

\*The lubricant recommended is indicative only, for exact specification please refer to vehicle manufacturers service manual.

**HELLA India Lighting Ltd.**

6A, 6th Floor, Platinum Tower, 184,  
Udyog Vihar, Phase - I, Gurgaon, 122016  
(Haryana)

Phone: +91 124 4658600 | [www.hella.co.in](http://www.hella.co.in)

**HELLA Warranty Services**

1800 103 5405 (TOLL FREE)

 /hella.India

 /hellaindiaAM

 /hella.india

 /company/hella